ELECTRIC HEIGHT ADJUSTABLE DESKS | CONSET.US







Ergonomics and your health

Every day more and more people are enjoying the many benefits of working while standing.

Numerous studies show that working from a sitting position for extended periods of time is clearly detrimental to your health. In fact a study cited in the journal Medicine & Science in Sports & Exercise found that people who sit for most of the day were 54% more likely to die of heart attacks. This was a study of 17,000 people over a 13 year period.

Men's Health reports that this statistic is true even if the people in the study were nonsmokers and regular exercisers.

The ConSet line of electrical height adjustable desks gives you the power to transform how you live and work.

Standing for portions of your day may be the simplest and most effective way to control weight gain, increase productivity and combat mental fatigue and back pain. ConSet desks can help to improve your quality of life and help you to live longer.

The benefits are clear and the good news is that ConSet desks are the most affordable height adjustable desks on the market. Designed and engineered in Denmark they combine high quality, low cost and beautiful design aesthetic. Stationary desks are so yesterday. Enjoy the benefits of ConSet electric height adjustable desks today and for the rest of your life. Stop sitting down on the job and stand up for your health!

A world of choices...

Your options are plentiful when choosing the ConSet desk which is right for you.

The desk frame you choose depends on the required maximum load, size and function as well as the interior design.

The shape, size and surface material of the table top depend on the type of work performed at the table. Choose between:

- · rectangular top
- right or left return top
- corner top

On the following pages you will find our range of height adjustable desks along with their specifications. You are on your way to choosing the right model.

Please refer to pages 27-31 for a complete list of tabletops, frames and possible combinations.



Colors shown in this brochure for tabletops and frames are a guide only and are limited for accuracy by the printing process and screen settings.

Index 501-37 **NEW** 4-5

LOAD

The lb capacity figures show the overall maximum lifting capacity of the frame. Load will depend on two factors:

- The weight of the desk top itself e.g. a 60"x 30"top weighs about 44 lbs., while a 84"x 30" top weighs 55 lbs.
- The total weight of the items on your desktop. Some desks become loaded over time with books, magazines, filing trays in addition to PC, printer, scanner. If in doubt then always buy the heavier option if your budget allows.
- The speed of upward travel will be slower as load is increased.

TASK

If you are working with an electronic microscope for example, you will need the firmest stability. E.g. a 501-11 desk will feel more solid in the extended position than a 501-7.

On the other hand the 501-7 is adequate for the tasks of writing and using a Personal Computer and it will be much easier to move than a 501-11.

Other issues to consider could include long working hours or multi-shift use. We want your desk to last well beyond the warranty period. A 330 lb frame used with a 150 lb load will usually last longer than a 176 lb frame with a 150 lb load.

ConSet – a Danish company

ConSet was founded in May 2000 in a basement in Skjern, Denmark, and our basic philosophy was that ergonomics should not be expensive.

We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit/stand desks.

The company has succeeded quite well and now has distribution and subsidiaries throughout the world.

ConSet at its core is an engineering company that develops the products down to the smallest component.

Since every component of a ConSet desk is developed and produced by the company including our patented drive system we are able to control our costs and achieve our goal.

Since May 2008 ConSet has made a commitment to the North American and Latin American markets with the formation of ConSet America.

Based in Pittsboro North Carolina and Reno, Nevada we maintain strong inventories to support the contract furniture and home office markets as well as other emerging markets.

Quality, consistency, value and support is what you will experience with ConSet at every level of our organization.



Frames	ltem no.	Color	Width	Price
-	501-37 8S112	Silver	441/8"	\$853
11	501-37 8B112	Black	441/8"	\$853
	501-37 8W112	White	441/8"	\$853
— T	501-37 8S129	Silver	50¾"	\$853
	501-37 8B129	Black	50¾"	\$853
ユ	501-37 8W129	White	50¾"	\$ 853
T	501-37 8S152	Silver	59%"	\$853
	501-37 8B152	Black	59%"	\$853
7	501-37 8W152	White	59%"	\$853
T	501-37 8S172	Silver	6711/16"	\$853
	501-37 8B172	Black	6711/16"	\$853
	501-37 8W172	White	6711/16"	\$853
T	501-37 8S112-152	Silver	441/8"-597/8"	\$ 893
	501-37 8B112-152	Black	44%"-59%"	\$893
-	501-37 8W112-152	White	44%"-59%"	\$ 893





Control panel to operate the table up or down by pressing one of the buttons.





Striking open design defines **501-37**— our brand new model.

The three stage frame is tested and approved according to ANSI/BIFMA X5.5-2014.

The frame is available in three different colors; silver, black and white.

Choose from fixed widths or an expandable bracket for more flexibility.

Easily assembled in a few quick steps. See specifications on pages 28-31.

ANSI/BIFMA X5.5-2014





501-27 is perfect as a free standing desk or in cubicle applications and it exceeds the standards set by ANSI/HFES 100-2007 Human Factors Engineering of Computer Workstations quidelines.

This is the most in-depth and current ergonomic guideline in the world and it states that the optimum adjustment range for height adjustable desks should accommodate individuals from the 5th to 95th percentile by having the work surface adjust from 22" to 48".

With our 501-27 and a 1" thick tabletop you get full adjustability from 22" to 48". Combine this with a 220 lbs maximum load*, automatic safety stop, optional locking casters and the ability to accommodate 18" deep tabletops and you get a desk that covers all the bases. Removable top bracket allows for easy installation of keyboard support.

See specifications on pages 28-31.

^{*} Max. working load on the 3-legged frames are 176 lbs.

Frame	ltem no.	Color	Width / Depth	Price
FL	501-27 8S084	Silver	32%"	\$ 730
H	501-27 8B084	Black	32%"	\$ 730
	501-27 8S129	Silver	50%"	\$ 730
F	501-27 8B129	Black	50%"	\$ 730
	501-27 8S144	Silver	56 ¹ 1⁄16"	\$ 730
F	501-27 8B144	Black	56 ¹ 1⁄16"	\$ 730
	501-27 8S152	Silver	59 ¹³ ⁄16"	\$ 730
H	501-27 8B152	Black	59 ¹³ ⁄16"	\$ 730
	501-27 8S 172	Silver	6711/16"	\$ 730
* 	501-27 8B172	Black	6711/16"	\$ 730
	501-27 8S144-115A	Silver	5611/16" / 425/16"	\$1,424
H	501-27 8S144-144A	Silver	5611/16" / 533/4"	\$1,424
	501-27 8S152-115A	Silver	5913/16" / 425/16"	\$1,424
	501-27 8S152-152A	Silver	5913/16" / 567/8"	\$1,424
	501-27 8S172-172A	Silver	6711/16" / 643/4"	\$1,424

Besides the 3-legged frames mentioned above, it is also possible to have other combinations in between. Please ask for further details.







501-29 is perfect for taller individuals.

At its fully extended height it measures 52".

Extremely strong and stable it has a maximum load of 220 lbs*.

With the newest 67¾"-length the series consists of five standard widths and is also available as a 3-legged version.

Integrated with automatic safety stop function.

Removable top bracket allows for easy installation of keyboard support. See specifications on pages 28-31.

^{*} Max. working load on the 3-legged frames are 200 lbs.

Frame	Item no.	Color	Width/Depth	Price
	501-29 8S084	Silver	32%"	\$ 835
F	501-29 8S129	Silver	50%"	\$ 835
	501-29 8S144	Silver	5611/16"	\$ 835
	501-29 8S152	Silver	59 ¹³ ⁄16"	\$ 835
H	501-29 8S172	Silver	6711/16"	\$ 835
	501-29 8S144-115A	Silver	56 ¹¹ / ₁₆ " / 45 ½"	\$ 1,535
H	501-29 8S144-144A	Silver	5611/16" / 5611/16"	\$1,535
	501-29 8S152-115A	Silver	5913/16" / 451/4"	\$1,535
	501-29 8S152-152A	Silver	59¹³/16" / 59 ¹³ /16"	\$1,535
	501-29 8S172-172A	Silver	6711/16" / 6711/16"	\$ 1,535

Besides the 3-legged frames mentioned above, it is also possible to have other combinations in between. Please ask for further details.

501-25 sets a new standard for electric height adjustable desks.

This beautifully designed desk frame has interchangeable brackets that work with 501-27 and 501-29; a great option for stocking dealers.

Removable top bracket allows for easy installation of keyboard support. Extremely stable with 176 lbs* as the maximum load makes it a sound choice.

See specifications on pages 28-31.

* Maximum load on the 3-legged frames are 160 lbs.

Frame	Item no.	Color	Width/Depth	Price
F	501-25 8\$084	Silver	32%"	\$ 689
H	501-25 8\$129	Silver	50%"	\$ 689
H	501-25 8\$144	Silver	5611/16"	\$ 689
	501-25 8\$152	Silver	5913/16"	\$ 689
	501-25 8S172	Silver	67¾"	\$ 689
	501-25 8S144-115A	Silver	5611/16" / 451/4"	\$ 1,343
H	501-25 8S144-144A	Silver	5611/16" / 5611/16"	\$1,343
	501-25 8S152-115A	Silver	5913/16" / 451/4"	\$1,343
	501-25 8S152-152A	Silver	5913/16" / 5913/16"	\$1,343
	501-25 8S152-152A	Silver	6711/16" / 6711/16"	\$1,343

Besides the 3-legged frames mentioned above, it is also possible to have other combinations in between. Please ask for further details.



ELECTRIC HEIGHT ADJUSTABLE DESKS Versatility and inspiring design. **501-25** — width 50%" and frame in silver — with maple tabletop *60-30S*. SRP \$ 905. See also pages 27-31.

501-49 is an elegant and affordable desk frame with round columns and designed with a telescopic cross bar which gives you flexibility all the way through!

The 2-legged desk frame can be adjusted from width 45%" to 69%" in intervals of $3^{15}\%$ " and has a height range from 25" to 49". Available in silver, black and white with inner columns in Chrome. Delivered in one box* — easy to ship and easy to assemble.

See specifications and combinations on pages 28-31.

^{*}Applies to 2-legged frame only.


Frames	Item no.	Color	Width/Depth	Price
	501-49 8\$176	Silver	45%"-69¼"	\$ 903
	501-49 8B176	Black	45%"-69¼"	\$ 903
	501-49 8W 176	White	45%"-69¼"	\$ 903
F - 7	501-49 8S176-196A	Silver	49%"-69¼"/53"-76%"	\$1,200
T. T	501-49 8B176-196A	Black	49%"-69¼" / 53"-76%"	\$1,200
	501-49 8W 176-196A	White	49%"-69¼"/53"-76%"	\$1,200











501-23 is strong and stylish with integrated cable management. It's expandable length makes it well suited for many top sizes. The symmetrical design makes the frame excellent for conference tables and large work surfaces.

Optional 3-column versions accommodate extra long tables and L-shapes configurations. Maximum load is 440 lbs.

See specifications and combinations on pages 28-31.

Frame	ltem no.	Color	Width/Depth	Price
	501-23 85200	Silver	53½"-78¾"	\$ 1,442
	501-23 8B200	Black	53½"-78¾"	\$ 1,442
	501-23 8S190-190A	Silver	57"-74 %" / 57"-74%"	\$1,911
Li	501-23 8B190-190A	Black	57"-74 %" / 57"-74%"	\$1,911





501-11 is nothing less than a mechanical masterpiece.

The frame is a true workhorse and the BOSCH motor provides the ultimate reliability.

The attractive design features a modesty panel and built in wire management integrated into the top support brackets.

Available in a 2-legged, 3-legged and a corner version, where the 2- and 3-legged frames have a maximum load of 330 lbs. See specifications on pages 28-31.

Frame	Item no.	Color	Width/Depth	Price
E.	501-11 8S138H	Silver	55%"	\$1,242
H	501-11 8B138H	Black	55%6"	\$1,242
	501-11 85 116	Silver	4511/16"	\$1,161
	501-11 8B116	Black	4511/16"	\$1,161
	501-11 8\$ 156	Silver	611/16"	\$1,161
	501-11 8B156	Black	611/16"	\$1,161
1 1	501-11 8\$ 196	Silver	773/16"	\$1,161
	501-11 8B196	Black	773/16"	\$ 1,161
	501-11 8S156-156A	Silver	611/16" / 611/16"	\$ 1,980
	501-11 8B156-156A	Black	611/16" / 611/16"	\$1,980
	501-11 8S196-196A	Silver	77¾16" / 77¾16"	\$1,980
1 4	501-11 8B196-196A	Black	773/16" / 773/16"	\$ 1,980

Besides the 3-legged frames mentioned above, it is also possible to have other combinations in between. Please ask for further details.



501-19 Center is sturdy and compact with a symmetrical design that allows access from all sides.


Add the optional 3" heavy duty locking casters and rechargeable battery and you have complete mobility without any wires; a small frame for small table tops but with a serious maximum load of 220 lbs.

See specifications on pages 28-31.

Frame	Item no.	Color	Width	Price
TT	501-19 85060	Silver	23%"	\$665
4	501-19 8B060	Black	23%"	\$665



ELECTRIC HEIGH 501-19 Basic



ELECTRICHI DESIGNABLE DESKS

Design and functionality perfectly combined.



501-19 Design lends unique style to this series with an attractive crescent shaped base.

The Design offers excellent support and is well suited to be arranged in groups or as a stand-alone desk. With 220 lbs as maximum load it can be used with a wide range of tabletops.

Available with optional rechargeable battery.

Available with optional rechargeable battery. See specifications on pages 28-31.

Frame	Item no.	Color	Width	Price
T	501-19 8\$120	Silver	471⁄4"	\$ 902
1	501-19 8B120	Black	471⁄4"	\$ 902

ELECTS 61-19 & ASOSTAPLE DESKS



501-19 Wall is a wall mounted system that eliminates the need for a base.

This allows for maximum leg room and makes it easy to clean around which is a real plus in health care environments. The motorized leg can be used with the optional rechargeable battery and with 220 lbs as max. working load it combines outstanding function and contemporary style. See specifications on pages 28-31.

Frame	ltem no.	Color	Width	Price
1	501-19 8SW	Silver	351/16"	\$637
4.	501-19 8BW	Black	351/16"	\$637



With **501-7 Wall** you get a specialized system for a very attractive price.

The frame requires very little space and without feet it is so easy to clean around.

Perfect where smaller tops are needed and space is a consideration. The max. working load is 110 lbs.

See specifications on pages 28-31.

Frame	ltem no.	Color	Width	Price
	501-7 8SW	Silver	29½"	\$753
1	501-7 8BW	Black	29½"	\$753



The mobile drawer units are available with either three or four drawers and are supplied with ball bearing slides for smooth and durable operation.

All units are supplied with quality cam locks on the upper drawer, casters (two locking) and matching wooden drawer pulls.

See specifications and accessories range page 26.

Frame	ltem no.	Color	Width	Price
191	PED 3A400B	Beech	15¾"	\$ 384
	PED 3A400M	Maple	15¾"	\$384
	PED 4A400B	Beech	15¾"	\$ 406
	PED 4A400M	Maple	15¾"	\$ 406






ELECTRICHEIGHT ACTUSTABLE OF SKS

Environment

At ConSet we understand the importance of respecting the environment as much as possible. We take responsibility for ensuring that our products are made with this philosophy in mind. We do this in several ways:

- Our wood products are FSC certified. This means that you are guaranteed that you can buy our products
 with a good conscience. In an FSC forest they do not harvest more timber than the forest can reproduce.
 Moreover FSC is a guarantee that animals and plants are protected and that the people who work in the
 forests are guaranteed education, safety and a fair salary.
- All electronic components meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally responsible under the WEEE directive.

All ConSet products covered by the WEEE Directive are marked with the symbol $\overline{\underline{\mathbb{X}}}$.



- ANSI/BIFMA x7.1 Standard for Formaldehyde and tvoc Emissions
- ANSI/BIFMA e3-2012 Sec 7.6.1 & 7.6.2

Read more about the environment on www.conset.us










CE marking

All ConSet desks are CE marked in collaboration with the Technological Institute in Denmark.

CE marking is a requirement for desks and it gives you as a user confidence that ConSet has been through all risk aspects of security.

ConSet code systeem





Product Approvals

All ConSet products meet the necessary requirements within the following relevant categories:

Dimensional requirements:

EN 527-1: Office furniture – Workplaces and desks – Part 1: Dimensions

This means that the products meet all requirements for a healthy work environment, ie. leg room, height, depth, etc.

Strength, durability and stability:

EN 527-2: Office furniture – Workplaces and desks – Part 2: Mechanical safety requirements

> A product standard that describes all basic safety requirements and ensures that the tables meet all requirements for physical exertion, and that all mechanical requirements are adhered to.

Office furniture - Workplaces and desks - Part 3: Methods of test for EN 527-3:

the determination of the stability and the mechanical strength of the structure

Methods of testing for the determination of the stability and mechanical strength of the structure. A standard for product approval, where the product goes through a variety of tests to comply with the requirements of EN 527-2. Within desks these are technically focused on the strength of

horizontal and vertical loading fatigue and tipping.

Surface, tabletops:

DS/EN 12720: Tabletops comply with the requirements stipulated. Resistance to hot and cold liquids.

DS/EN 12721: Tabletops comply with the requirements stipulated. Resistance to wet heat. DS/EN 12722: Tabletops comply with the requirements stipulated. Resistance to dry heat.

Prices and conditions

All prices shown are suggested retail prices (SRP) in US \$ excluding applicable sales tax. Electrical/mechanical parts: 5 years warranty. Other parts: 5 years warranty.

ConSet reserves the right to change design and specifications without any prior notice.



ConSet on the web

We work constantly to ensure that our website is functional and useful to our customers. All relevant information and specifications are available on our website and acts as a supplement to our printed material including:

- Assembly instructions
- Drawings (PDF- and CAD-files)
- **Technical specifications**
- Videos with assembly instructions
- Images for download

WWW.conset.us

ELECTRIC HEIGHTADJUATABLE DESVICES

Photo of item	Drawing of item	Description	Item no.	SRP\$
0000 T		Programmable handset	139250	\$ 71
		120° gearkit for <i>501-25</i> , <i>501-27</i> and <i>501-29</i>	501-2X GS	\$ 167
		Pencil drawer, Swing	440-1	\$ 78
		Pencil tray for mobile drawer unit	BOX A09 B	\$ 34
HER		Battery, 24V Battery with charger. Charging 1-2 times monthly following conventional office use. Can be used for 501-7, 501-19, 501-25, 501-27, 501-29, 501-37 and 501-49	BAT-24-1,7	\$ 362
1		Tilt device for 501-19 Tilt device for 501-11 — whole top Tilt device for 501-11 — divided top Tilt device for 501-7	501-19 V-HEL 501-11 V-HEL 501-11 V-DELT 501-7 VIP	\$ 191 \$ 221 \$ 221 \$ 222
ปีป		Caster set for 501-19 Basic and Center, 501-25, 501-27, 501-29 and 501-37 Caster set for 501-11	501-19 HXXX 501-11 HXXX	\$ 58 \$ 84
	My	Extender leg for 501-27	501-27 ES020	\$ 77
	15¾ x 1911/6 x 2214/6"	Mobile drawer unit with 3 drawers, beech Mobile drawer unit with 3 drawers, maple	PED 3A400 B PED 3A 400 M	\$ 384 \$ 384
	15¾ x 191% x 221%"	Mobile drawer unit with 4 drawers, beech Mobile drawer unit with 4 drawers, maple	PED 4A400 B PED 4A 400 M	\$ 406 \$ 406
	273/s up to 2715/s x 23%"	Set of 4 legs, silver Set of 4 legs, black	61-690-SV-1 61-690-BK-1	\$ 85 \$ 85

ELPrice list AD Tabletops




Table tops are produced in %" (22 mm) MDF covered with laminate. Produced with profile edge. See the complete product range on **www.conset.us** See combination chart on pages 30-31.

Page	Product photo	Dimensional drawing () = depth of frame top support	Item no.	Color	Frame height min./max. (")	Max. speed "/sec.	Maximum load (lbs)	Frame weight (lbs)	Qty. per pallet	Price in US \$ ex. sales tax
22	I	22 ¹³ / ₁₆ " 37" (29½")	501-7 8S 501-7 8B	Silver Black	26" to 46"	1"	110	57	20	\$ 560
21	1	16%" (14½") 29½"	501-7 8SW 501-7 8BW	Silver Black	26" to 46"	1"	110	60	20	\$753
20	I	19%6" (181%6") 47%" (35%6")	501-19 8S120 501-19 8B120	Silver Black	26" to 46"	1"	220	60	15	\$ 902
19	I	25%s" (181%s") 37%s" (35%s")	501-19 8S095 501-19 8B095	Silver Black	26" to 46"	1.1"	220	52	15	\$ 665
18	I	19 ¹³ / ₆ " 23/ ₅ %" (13%")	501-19 8S060 501-19 8B060	Silver Black	26" to 46"	1.1"	220	51	15	\$ 665
21		22 ¹³ / ₁₆ " (18 ¹³ / ₁₆ ") 35 ¹ / ₁₆ "	501-19 8SW 501-19 8BW	Silver Black	26" to 46"	1.1"	220	43	15	\$ 637
16-17	H	23¼" (17%") 55%" (451%")	501-11 8S138H 501-11 8B138H	Silver Black	25" to 47"	1.1"	220	85	15	\$ 1,242
16-17	月	28 ¹³ / ₅₆ " (22") 45 ¹³ / ₅₆ " [61 ¹ / ₅₆ " 77 ¹ / ₅₆ "	501-11 8S116 501-11 8B116 501-11 8S156 501-11 8B156 501-11 8S196 501-11 8B196	Silver Black Silver Black Silver Black	25" to 47"	1.1"	330	96 105 110	15	\$ 1,161
16-17	Can be assembled right or left han	17"1/6" (13¾") 611/6" 773/6" d 611/6" 775/6"	501-11 8S156-156A 501-11 8B156-156A 501-11 8S196-196A 501-11 8B196-196A	Silver Black Silver Black	25" to 47"	1.1"	330	157 168	15	\$ 1,980
14-15		30%" (26¾") 53½"-78¾"	501-23 8S200 501-23 8B200	Silver Black	26" to 46"	1.1"	440	103	15	\$ 1,442
14-15		57"-74%" 30%" (10%") 57"-74%" 30%" (26%")	501-23 8S190-190A 501-23 8B190-190A	Silver Black	26" to 46"	1.1"	440	146	15	\$ 1,911
10-11	H	26 %" (25 %") 32%" 56 1 %6" 59 1 %6" 67 1 1 %6"	501-25 85084 501-25 85129 501-25 85144 501-25 85152 501-25 85172	Silver	26" to 46"	1"	176	50 56 58 57 59	20	\$ 689
10-11	Can be assembled right or left han	45¼" 45½" 56½" 26¾" 67½" (25¾") d	501-25 85144-115A 501-25 85144-144A 501-25 85152-115A 501-25 85152-152A 501-25 85172-172A	Silver	26" to 46"	1"	160	88 91 88 92 96	20	\$ 1,343

ELECTIPATE GHT ADJUSTABLE DESKS

Page	Product photo	Dimensional drawing () = depth of frame top support	Item no.	Color	Frame height min./max. (")	Max. speed "/sec.	Maximum load lbs	Frame weight	Qty. per pallet	Price in US \$ ex. sales tax
6-7	H	223/6" (17 ¹ 1/6") 32%" 50%" 56 ¹ 1/6" 59 ¹³ /6 67 ¹ 1/6"	501-27 85084 501-27 8B084 501-27 8S129 501-27 8B129 501-27 8B144 501-27 8B144 501-27 8S152 501-27 8B152 501-27 8B172	Silver Black Silver Black Silver Black Silver Black Silver Black	21" to 47"	1.2"	220	49 54 56 56 58	24	\$730
6-7	Can be assembled right or left hand	14%e" (13") 42%e" 53%" 56%" 64%" 22%" (177%e") 560%e" 59%e" 67%e"	501-27 85144-115A 501-27 85144-144A 501-27 85152-115A 501-27 85152-152A 501-27 85172-172A	Silver	21" to 47"	1.2"	200	88 91 88 91 95	24	\$1,424
8-9	H	26¾" (25¾") 32½" 50½" 56½6" 59½6 67½6"	501-29 85084 501-29 85129 501-29 85144 501-29 85152 501-29 85172	Silver	25" to 51"	1.2"	220	50 56 58 57 59	20	\$835
8-9	Can be assembled right or left hand	14%"(13") 45%" 561%" 591%" 671%" 561%" 561%" 5191%" 671%"	501-29 85144-115A 501-29 85144-144A 501-29 85152-115A 501-29 85152-152A 501-29 85172-172A	Silver	25" to 51"	1.2"	200	91 94 92 95 99	20	\$1,535
	H	221/4" (1711/4") 327/4" 501/4" 5911/4 6711/4 "	501-32 85084 501-32 85129 501-32 85144 501-32 85152 501-32 85172	Silver	26" to 46"	1"	176	53 58 60 60 61	20	\$679
	Can be assembled right or left hand	14%"(13") 42%e" 53% 56%" 64%" 56%" 59%e" 67%e"	501-32 85144-115A 501-32 85144-144A 501-32 85152-115A 501-32 85152-152A 501-32 85172-172A	Silver	26" to 46"	1"	160	90 93 91 94 98	20	\$1,333
4-5		22" (18") 441%" 50%" 59%" 6711%; 441%"-59%"	501-37 8S112 501-37 8B112 501-37 8B112 501-37 8S129 501-37 8B129 501-37 8W129 501-37 8W129 501-37 8W152 501-37 8B152 501-37 8W152 501-37 8B172 501-37 8S172 501-37 8W172 501-37 8W172	Silver Black White Silver Black White Silver Black White Silver Silver	21" to 47"	1.2"	220	50 51 XX 52	26	\$853
12-13		24" (20")	501-37 8B112-152 501-37 8W112-152 501-49 8S176 501-49 8W176	Black White Silver Black White	25" to 49"	1.2"	176	57	28	\$ 903
12-13		45%" 49%" 53%" 57½" 617%" 65%" 69¾" 14%6" (14¾6") 53" 565%6" 669%" 644¾6" 68¾" 72½%6" 76%" 24" (20") 49%" 533%" 57½" 61%" 65%" 69¾"	501-49 8S 176-196A 501-49 8B 176-196A 501-49 8W 176-196A	Silver Black White	25" to 49"	1.2"	154	87	28	\$1,200

		\wedge	_ P									0 0
			$\langle \rangle$									
	Table tops	Ŧ	Ŧ	Ŧ	±	24-245	36-245	42-245	48-245	60-245	72-245	42-305
Frame	Te	117H	120Н	138Н	140H	24-	36-	42-	48-	-09	72-	42-
501-7 8X		×		×								×
501-7 8XW							×	×	×			×
501-11 8X116												
501-11 8X156												
501-11 8X196												
501-11 8X138H			×									
501-11 8X156-156A												
501-11 8X196-196A												
501-19 8X060							×	×				×
501-19 8X095		×	×	×	×							×
501-19 8X120		×	×	×	×				×			
501-19 8XW								×	×	×		×
501-23 8X200												
501-23 8X190-190A												
501-25 / 501-29 8X084			×									×
501-25 / 501-29 8X129												
501-25 / 501-29 8X144												
501-25 / 501-29 8X152												
501-25 / 501-29 8X172												
501-25 / 501-29 8X144-115A												
501-25 / 501-29 8X144-144A												
501-25 / 501-29 8X152-115A												
501-25 / 501-29 8X152-152A												
501-25 / 501-29 8X172-172A												
501-27 / 501-32 8X084				×	×			×	×			×
501-27 / 501-32 8X129										×		
501-27 / 501-32 8X144										×		
501-27 / 501-32 8X152											×	
501-27 / 501-32 8X172											×	
501-27 / 501-32 8X144-115A												
501-27 / 501-32 8X144-144A												
501-27 / 501-32 8X152-115A												
501-27 / 501-32 8X152-152A												
501-27 / 501-32 8X172-172A												
501-37 8X112									×	×		
501-37 8X129										×		
501-37 8X152											×	
501-37 8X172											×	
501-37 8X112-152									×	×	×	
501-49 8X176										×	×	
501-49 8X176-196A												
61-690-XX-1		×	×	×	×	×	×	×	×	×		×

0 0	0 0	<u> </u>			•	0	6	a		O		0		6 8
48-305	60-305	905-99	72-305	84-305	72-48L	72-48R	84-48L	84-48R	72-48L+ 24-24S	72-48R+ 24-24S	84-48L+ 36-24S	84-48R+ 36-24S	60-245 + 36-245	72-305 + 42-245
×														
	×													
		×	×	×	×	×	×	×						
				×			×	×						
	×													
									×	×	~	~		×
											×	×		
×														
×														
×	×													
	×	×	×	×	×	×	×	×						
×									×	X	×	×		×
×	×													
	×	×												
		×	×		×	×								
			×	×	×	×	×	×						
					×	×								
									×	×				
					×	X	×	×	~	V				
									×	×	×	×		×
×														
	×													
	×	×												
		×	X											
			×	×	\.									
					×	×			×	×			×	
					×	X	×	×		^				
									×	×				×
									×	×	×	X	×	×
×	×													
	×	×												
		×	×	~										
×	×	×	×	×										
	×	,,	×	×										
									×	×	×	X	X	×
×	×													

ConSet America PO Box 1301 225 Elf Way Pittsboro NC 27312 USA

ConSet America 755 Lillard Drive, Suite 101 Sparks NV 89434 USA

Phone: 800-293-9051 or 919-542-6145

Fax: 919-542-2727 info@conset.us www.conset.us



Your ConSet America dealer:

ConSet America www.conset.us

